

ZEBRA TC70/TC75 SERIES ACCESSORIES BROCHURE



ZEBRA RUGGED ALL-TOUCH ANDROID AND WIN10 COMPUTERS

A robust accessory family to tailor the TC70/TC75 Series for any enterprise.

The comprehensive family of accessories includes a snap-on magnetic stripe reader for mobile payment, a holster, a hand strap, a snap-on trigger handle and more, allowing you to easily tailor the TC70/TC75 to meet the needs of many different types of users performing many different types of tasks. And multi-slot battery chargers and the unique ShareCradle — a multi-slot and 2-slot cradle system that can accommodate charge-only or data needs for the TC70/TC75 and future Zebra mobile computers — make backroom management easy and cost effective.





 SHARECRADLE SYSTEM

The ShareCradle System shares the same set of terminal and terminal spare battery “cups” across a suite of charge-only and communication bases, providing flexible and future proofed solutions in 5-slot and 2-slot configurations. All of the 2-slot and 5-slot ShareCradles can charge the TC70/TC75 Series with the hand strap and stylus attached. In addition, the 2-slot and 5-slot charge-only ShareCradles can charge the TC70/TC75 with snap-on accessories attached — including the magnetic stripe reader and trigger handle — making device charging easier than ever.

Note: The 2-Slot USB/Ethernet and 5-Slot Ethernet Cradles will not support any Snap-On accessories.

2-Slot cradles



The 2-Slot ShareCradle is designed to provide the best desktop solution. Available in Charge-Only or USB/Ethernet variants, the 2-Slot ShareCradles accommodate 1x TC70/TC75 Series and 1x spare battery. *Note: 2-Slot ShareCradles require power supply PWR-BGA12V50W0WW and requires a DC line cord: CBL-DC-388A1-01 and country specific AC line cord (cords sold separately)*

Part Number	Description
	CRD-TC7X-SE2CPP-01 Single Slot Charge Only Sharecradle for 1 terminal and 1 spare battery. Compatible with both PowerPrecision and PowerPrecision Plus batteries.
	CRD-TC7X-SE2EPP-01 Single Slot Charge Only Sharecradle for 1 terminal and 1 spare battery. Compatible with both PowerPrecision and PowerPrecision Plus batteries.




5-Slot Cradles

The 5-Slot ShareCradles provide high Density & Flexibility. Available in Charge-Only or Ethernet variants, the 5-Slot ShareCradles can accommodate either 5x or 4x TC70/TC75 Series plus 4x spare batteries off of one power supply via the 4-Slot Battery Charger Adapter Cup (sold separately). The 5-Slot ShareCradles can be racked/mounted in a standard 19 in. rack system via the mounting accessory.

Note: 5-Slot Cradles require Power Supply PWR-BGA12V108W0WW; and requires a DC line cord: CBL-DC-388A1-01 and country specific AC line cord (cords sold separately). Optional 4-Slot Battery Charger, 4-Slot Battery Charger Adapter Cup and Mounting Accessory sold separately.




Part Number	Description
	CRD-TC7X-SE5C1-01 5-Slot Charge Only ShareCradle.
	CRD-TC7X-SE5EU1-01 5-Slot Ethernet ShareCradle.

4-Slot battery charger and ShareCradle accessories


Part Number	Description
	SAC-TC7X-4BTYPP-01 Drop in style 4-Slot Battery Charger with LEDs to indicate Charge State. Can be docked and powered in the 5-Slot Cradle via adapter cup (sold separately) or used standalone. When used stand-alone requires Power Supply PWR-BGA12V50W0WW and requires a DC line cord: CBL-DC-388A1-01 and country specific AC line cord (cords sold separately). Compatible with both PowerPrecision and PowerPrecision Plus batteries.
	CUP-SE-BTYADP1-01 ShareCradle 4-Slot battery charger adapter cup. Allows for a 4-Slot Battery Charger to be charged and docked on the 5-Slot ShareCradles.
	BRKT-SCRD-SMRK-01 Rack/Wall bracket, allows to install any Multi-Slot sharecradle on a wall or a 19" IT rack and provides a holder for power supplies and line cords. Includes screws required for installation

**POWER PRECISION AND POWER PRECISION PLUS BATTERIES**





Best-in-class battery technology provides smart, convenient and flexible information along with business quality, performance and dependability. Our PowerPrecision batteries are manufactured and tested to meet rigorous controls and standards. We only use Premium-grade cells in our PowerPrecision batteries to deliver a higher capacity and a longer life cycle. And the strong and robust housing adds durability and protects performance.

Part Number	Description
 BTRY-TC7X-46MAH-01	4620 MAH LI-ON PowerPrecision Battery (Single Pack). For use with TC70x Win 10 and TC70/TC75.
 BTRY-TC7X-46MAH-10	4620 MAH LI-ON PowerPrecision Battery (10-PK). For use with TC70x Win 10 and TC70/TC75.
 BTRY-TC7X-46MPP-01	4620 mAh Li-Ion PowerPrecision Plus Battery (Single Pack). (For TC70x/TC75x Android Only). Not compatible with older accessories: 4-Slot Battery Charger: SAC-TC7X-4BTYC1-01; TC7X 2-slot Charge only: CRD-TC7X-SE2CU1-01 Share cradle; TC7X 2-slot USB/Ethernet: CRD-TC7X-SE2EU1-01 Share cradle.
Image Not Available BTRY-TC7X-46MPP-10	4620 mAh Li-Ion PowerPrecision Plus Battery (10 Pack). (For TC70x/TC75x Android Only). Not compatible with older accessories: 4-Slot Battery Charger: SAC-TC7X-4BTYC1-01; TC7X 2-slot Charge only: CRD-TC7X-SE2CU1-01 Share cradle; TC7X 2-slot USB/Ethernet: CRD-TC7X-SE2EU1-01 Share cradle.





**PAYMENT**


Part Number	Description
 MSR-TC7X-SNP1-01	TC70/TC75 Snap-on Mag Stripe Reader. Reads Tracks 1, 2, & 3. Offers Point-to-point encryption (P2PE) with Encryption for Tracks 1, 2, and 3, supporting TDES/DUKPT and AES/DUKPT. Compatible with hand strap, Charge-Only Cradles, and Charging Cable Cups. Not compatible with TC7x Win10.


**CABLES**

Part Number	Description
 CHG-TC7X-CBL1-01	Charging Cable Cup. Snaps onto the bottom allowing the users to charge while another accessory is attached. Requires PWR-BGA12V50W0WW and requires a DC line cord: CBL-DC-388A1-01 and country specific AC line cord (cords sold separately)
 CBL-TC7X-USB1-01	Snap-On USB/Charge Cable. Connects to the I/O connectors on the rear of TC70/TC75. For charging, PPWR-BGA12V50W0WW and requires a DC line cord: CBL-DC-388A1-01 and country specific AC line cord (cords sold separately)
 CBL-TC7X-SERL1-01	Snap-On Serial Cable. Provides serial communication as well as power via PWR-BGA12V50W0WW and requires a DC line cord: CBL-DC-388A1-01 and country specific AC line cord (cords sold separately)
Image Not Available CBL-TC7X-DEX1-01	Snap on Cable for DEX Communication.
 3PTY-BTEK-DX30	DX30 Key Fob / 620mAh Battery (charging accessories and SmartDex License sold separately)





**AUDIO ACCESSORIES**

Part Number	Description
 RCH51	Premium Rugged Headset optimized for voice-directed applications and voice communication for workers in harsh environments. Requires QD to 2.5 mm adapter or QD to 3.5mm adapter.
 ADP-TC7X-AUD35-01	Snap-On 3.5MM Audio Jack Adapter for TC7X. Note: Headsets sold separately.
 HDST-35MM-PTVP-01	3.5MM Headset for PTT + VoIP w/rotating ear piece for right/left ear wearing & built in cord wrap. Includes inline mic and PTT Button.
 ADP-35M-QDCBL1-01	3.5MM to QD Audio Cable Adapter.







 SCANNING


Part Number	Description
 TRG-TC7X-SNP1-02	TC70/TC75 Snap-On Trigger Handle. Easily attaches to bottom housing and easily removed to access battery. Not compatible with 5-Slot and 2-Slot Ethernet ShareCradles. The trigger handle includes a wrist tether that is attached to the trigger and the bottom housing of the device.

 SOFT GOODS

Part Number	Description
 SG-TC7X-HLSTR1-02	Soft holster for vertical orientation with open bucket design to accommodate hand strap and snap-ons, such as the MSR for easy insertion and removal. Includes loop for optional stylus.
 SG-TC7X-HSTR2-03	3-pack of hand straps. Made of leather and hypalon, this adjustable hand strap provides comfort to support a wide range of hand sizes while resisting wear in rugged environments. The hand strap also provides a loop and tether point for the optional stylus. Plastic clip latches into terminal for easy insertion and removal.
 SG-TC7x-STYLUS-03	Stylus with tether 3-pack. Made of conductive carbon-filled plastic material, this Rigid plastic stylus is optimized for enterprise durability. Clip and tether point to reduce loss.
 SG-TC7X-RHLSTR1-01	Rigid Holster with snap-in design. Rotating Belt Clip with ability to insert in either direction. Compatible with Snap-on Accessories excluding the Trigger Handle.

VEHICLE ACCESSORIES

 CHG-TC7X-CLA1-01	Auto Charging Cable Cup. Snaps onto the bottom of the device, allowing the users to charge their TC70/TC75 Series computer via a Vehicle's Cigarette Light Adapter (CLA).	
 CRD-TC7X-CVCD1-01	Charge Only Vehicle Cradle. Supports snap on TC70/TC75 Series accessories excluding the Trigger Handle. Power Supplies (CHG-AUTO-CLA1-01 or CHG-AUTO-HWIRE1-01) and Optional Windshield Mounting Hardware sold separately.	
 CHG-AUTO-CLA1-01	CLA (Cigarette Light Adapter) Auto Charge Cable for the vehicle cradle. Does not work without Cradle (sold separately).	
Image Not Available	CHG-AUTO-HWIRE1-01	Hardwire Auto Charge Cable for the the vehicle cradle. Allows for installation into Vehicle's fuse box. Does not work without Cradle (sold separately).
 CRD-TC7X-VCD1-01	TC7X Data Communication enabled vehicle cradle (includes USB Hub).	
 RAM-B-166U	RAM Twist Lock Suction Cup with Double Socket Arm and Diamond Base Adapter; Overall Length: 6.75".	
 RAM-B-238U	RAM 2.43" x 1.31" Diamond Ball Base w/ 1" Ball.	

 POWER SUPPLIES

Part Number	Description
PWR-BGA12V50W0WW	Power Supply: 100-240 VAC,12VDC,4.16A for TC70/TC75 Series 2-Slot Cradles and 4-Slot Battery Chargers. Requires country specific three wire grounded AC Line Cord and a DC line cord: CBL-DC-388A1-01 (cords sold separately).
PWR-BGA12V108W0WW	Power Supply: 100-240VAC,12VDC,9A for TC70/TC75 5-Slot Cradles. Requires country specific three wire grounded AC Line Cord and a DC line cord: CBL-DC-383A1-01 (cords sold separately).
PWR-BUA5V16W0WW	Power Supply: 100-240VAC, 5.4 VDC, 3A for Charging Cable Cup, Serial Cable, and USB/Charge Cable. Requires country specific two wire grounded AC Line Cord and a DC line cord: CBL-DC-383A1-01 (cords sold separately).
CBL-DC-383A1-01	DC Line Cord for PWR-BGA12V108W0WW and PWR-BUA5V16W0WW.
CBL-DC-388A1-01	DC Line Cord for PWR-BGA12V50W0WW.

**AC LINE CORDS FOR PWR-BGA12V50W0WW + PWR-BGA12V108W0WW**

Part Number	Description
23844-00-00R	US AC line cord, 7.5 ft. long, grounded, three wire. Associated Country: United States.
50-16000-217R	AC Line Cord, 1.9 m, grounded, three wire, AS 3112 plug. Associated Countries: Australia, China, New Guinea.
50-16000-218R	AC Line Cord, 1.8 m, grounded, three wire, NEMA 1-15P plug. Associated Country: Japan.
50-16000-219R	AC Line Cord, 1.8 m, three wire, grounded BS1363 plug. Associated Countries: Hong Kong, Iraq, Malaysia, Singapore, United Kingdom.
50-16000-220R	AC Line Cord, 1.8 m, grounded three wire, CEE 7/7plug. Associated Countries: Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam.
50-16000-221R	AC Line Cord, 1.8 m, grounded, USA NEMA 5-15P. Associated Country: United States.
50-16000-256R	AC Line Cord, 1.8 m, grounded, three-wire, CEE7/7 plug. Associated Country: Korea.
50-16000-257R	AC Line Cord, 1.8 m, grounded, three wire, IEC 60320 C13 plug. Associated Country: China.
50-16000-669R	C Line Cord, 1.9 m grounded, three wire, BS 546 Plug. Associated Country: India.
50-16000-671R	AC Line Cord, 1.8 m grounded, three wire. CIE 23-16 plug Associated Country: Italy.
50-16000-672R	AC Line Cord, 1.9 m grounded, three wire, S132 Plug. Associated Country: Israel.
50-16000-678R	AC Line Cord, 36 in. long, grounded, three wire. Associated Country: United States.

**AC LINE CORDS FOR PWR-BUA5V16W0WW**

Part Number	Description
50-16000-255R	AC Line Cord, 1.8 m ungrounded, two wire, CEE7/16. (Countries: KR, VN, BE, FR, DE, IT, NL, ES, SE, AR, CL).
50-16000-182R	US AC line cord, ungrounded, two wire. Associated Country: United States.
50-16000-664R	AC Line Cord, 1.8 ungrounded, two wire, GB 2099-1-1996 plug. Associated Country: China
50-16000-666R	AC Line Cord, 1.8 m ungrounded, two wire AS 3112 plug. (Countries: AU, NZ)
50-16000-668R	AC Line Cord, 1.8 m ungrounded, BS 546 Plug. Associated Country: India.
50-16000-670R	AC Line Cord, 1.8 m ungrounded, two wire, BS 1363 Plug. Associated Countries: Bermuda, Hong Kong, Iraq, Malaysia, Singapore, and United Kingdom.

THE TC70/TC75 SERIES — THE PROFESSIONAL GRADE ENTERPRISE DEVICE WITH A TRUE ENTERPRISE-CLASS FAMILY OF ACCESSORIES DESIGNED TO EXTEND AND ENHANCE THE TC70/TC75 SERIES TO MEET YOUR CHANGING AND GROWING BUSINESS NEEDS. FOR MORE INFORMATION, VISIT WWW.ZEBRA.COM/TC7XSERIES OR ACCESS OUR GLOBAL CONTACT DIRECTORY AT WWW.ZEBRA.COM/CONTACT

