MC55A0 MC55N0 MC65 MC67





ACCESSORIES GUIDE





ONE SET OF ACCESSORIES FOR FOUR DIFFERENT MOBILE COMPUTERS

Our complete family of accessories allows you to easily customize your MC55A0, MC65 And MC67 mobile computers to best meet the needs of your applications, your workers and your IT department. Choose from four slot or single slot cradles, a vehicle mount kit, a snap-on trigger handle for those scan intensive jobs, a magnetic stripe reader for on-the-spot payment processing and more. A single accessory pool serves all four models, delivering a better return on your accessory investment. You can stock fewer spares. And since your existing accessories can be used with the new MC67, you can put the latest mobile computer in the hands of your workers — very cost-effectively

| CRADLES AND CRADLE ACC | ESSORIES CONTRACTOR OF THE PROPERTY OF THE PRO |
|------------------------|--|
| | Single Slot USB Charging Cradle with a bay for spare battery charging — CRD5500-1000UR Requires Power Supply PWRS-14000-148R and country specific three wire grounded AC power line cord. |
| MAKAM | Four Slot Charge Only Cradle - CRD5501-4000CR Charges four terminals at one time. Requires Power Supply PWRS-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord. |
| MANA | Four Slot Ethernet Charging Cradle — CRD5501-4000ER Charges and provides Ethernet connectivity to four terminals at one time. Requires Power Supply PWRS-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord. |
| | Single Slot Cradle — CRD5501-1000XR Single Slot cradle with a bay for spare battery charging. Supports Ethernet, USB and Modem connectivity. Requires Power Supply PWRS-14000-148R and country specific three wire grounded AC power line cord. |
| 0.0 | Vehicle Cradle — VCD5500-1001R Charges a terminal only. Does not accommodate spare battery charging. |
| | Wall Mount Cradle Bracket — KT-136648-01R For mounting four slot cradles only. |
| CRADLE KITS | |
| Q1 49 49 | Single Slot Cradle Kit (U.S.) — CRD5500-100UES Includes Single Slot USB cradle (CRD5500-1000UR), Power Supply (PWRS-14000-148R), and US three wire grounded AC power line cord (23844-00-00R). |
| 99 | Single Slot Cradle Kit (International) — CRD5500-101UES Includes Single Slot USB cradle (CRD5500-1000UR) and Power Supply (PWRS-14000-148R). Purchase country specific three wire grounded line cord separately. |
| | Four Slot Charge Only Cradle Kit -CRD5501-401CES Includes Four Slot Charge Only cradle (CRD5501-4000CR) and Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately. |
| | Four Slot Ethernet Cradle Kit — CRD5501-401EES Includes Four Slot Ethernet cradle (CRD5501-4000ER) and Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately. |
| | Vehicle Holder Kit — VCH5500-111R Holder (VCH5500-1000R) and Auto Charge adapter (VCA5500-01R) |
| BATTERY CHARGERS AND C | HARGER ACCESSORIES |
| | Standard Capacity Spare Battery — BTRY-MC55EAB00 2400 mAh standard capacity spare battery. (For WLAN devices) |
| | Extended Capacity Spare Battery — BTRY-MC55EAB02 3600 mAh extended capacity spare battery. |
| | Standard Capacity Battery 10 pack — BTRY-MC55EAB00-10 2400 mAh standard capacity spare battery, 10 pack. (For WLAN devices) |
| | Standard Capacity Battery 50 pack — BTRY-MC55EAB00-50 2400 mAh standard capacity spare battery, 50 pack. (For WLAN devices) |

| BATTERY CHARGERS AND CI | HARGER ACCESSORIES (CONTINUED) |
|-------------------------|---|
| | Extended Capacity Battery 10 pack — BTRY-MC55EAB02-10 3600 mAh extended capacity spare battery, 10 pack. |
| ******* | Extended Capacity Battery 50 pack — BTRY-MC55EAB02-50 3600 mAh extended capacity spare battery, 50 pack |
| | 4 Slot Battery Charger — SAC5500-4000CR Charges up to 4 MC55X0/MC65/MC67 Batteries. |
| Q 349 | 4 Slot Battery Charger Kit — SAC5500-400CES Includes 4 Slot Battery Charger SAC5500-4000CR, PWRS-14000-148R Power Supply and 23844-00-00R US AC Line Cord. |
| 849 | 4 Slot Battery Charger Kit — SAC5500-401CES Includes 4 Slot Battery Charger SAC5500-4000CR and Power Supply PWRS-14000-148R. Purchase country specific three wire grounded AC power line cord separately. |
| CABLE ACCESSORIES | |
| 10 | USB Charge and Communication Cable from the Terminal to Host system — 25-108022-04R Charging requires Power Supply (PWRS-14000-249R) and country specific two wire ungrounded AC power line cord. |
| A | Charge-only Cable — 25-112560-01R Charging requires Power Supply (25-112560-01R) and country specific two wire ungrounded AC power line cord. |
| | USB Client Communication-only Cable — 25-68596-01R From Cradle to the host system. |
| C \$ | DEX Cable — 25-127558-01R DEX Cable. |
| POWER SUPPLIES AND ADA | PTERS |
| 0 | AC power supply with barrel jack — PWRS-14000-249R Allows for charging of an MC55X0/MC65/MC67 terminal with either USB (25-108022-01R) or Charge only (25-112560-01R) cable. Order country specific two wire AC power line cord separately. |
| | Power Supply — PWRS-14000-148R Provides power to the Single Slot Cradle (CRD5500-1000UR) and Four Slot Battery Charger (SAC5500-4000CR). Order country specific three wire grounded AC line cord separately. |
| | Power Supply — PWRS-14000-241R Provides power to the Four Slot Charge Only and Ethernet Cradles (CRD5501-4000CR and CRD5501-4000ER). Order country specific three wire grounded AC line cord separately. |
| 200 | Auto Charge Cable — VCA5500-01R 12/24 volt (cigarette lighter adapter) |
| | Printer Cable — 25-136283-01R Cable for MC55X0/MC65/MC67 that allows connection to a Monarch/Paxar Serial printer to terminal |
| POWER LINE CORDS | |
| (0) | DC Cable — 50-16002-029R For power supply PWRS-14000-241R. |
| | US AC Line Cord — 23844-00-00R Grounded, three wire for power supplies PWRS-14000-148R and PWRS-14000-241R. |
| | US AC Line Cord — 50-16000-182R Un-grounded, two wire for power supply PWRS-14000-249R. |

| INTERNATIONAL | AC LINE CORDS | |
|-----------------------|---|--|
| Country | Grounded (For power supplies PWRS-14000-148R and PWRS-14000-241R) | Ungrounded (For power supply PWRS-14000-249R) |
| Abu Dhabi | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |
| Australia | 50-16000-217R — 1.8 m, grounded, three wire, AS 3112 plug | 50-16000-666R — 1.8 m ungrounded, two wire AS 3112 plug |
| Bermuda | | 50-16000-670R — 1.8 m ungrounded, two wire, BS 1363 Plug |
| Bolivia | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |
| Brazil | 50-16000-727R — 1.8 m grounded, three wire, NBR 14136 plug | |
| China | 50-16000-217R — 1.8 m, grounded, three wire, AS 3112 plug 50-16000-257R — 1.8 m, grounded, three wire, IEC 60320 C13 plug | 50-16000-664R — 1.8 m ungrounded, two wire, GB 2099-1-1996 plug |
| Dubai | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |
| Egypt | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |
| Europe | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |
| Hong Kong | 50-16000-219R — 1.8 m, grounded, three wire, BS 1363 plug | 50-16000-670R — 1.8 m ungrounded, two wire, BS 1363 Plug |
| India | 50-16000-669R — 1.8 M grounded, three wire, BS 546 Plug | |
| Iran | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |
| Iraq | 50-16000-219R — 1.8 m, grounded, three wire, BS 1363 plug | 50-16000-670R — 1.8 m ungrounded, two wire, BS 1363 Plug |
| Israel | 50-16000-672R — 1.8 m grounded, three wire, S132 Plug | |
| Italy | 50-16000-671R — 1.8 m grounded, CIE 23-16 plug | |
| Japan | 50-16000-218R — 1.8 m, grounded, three wire, NEMA 1-15P plug | |
| Korea | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug 50-16000-256R — 1.8 m, grounded, CEE7/7 plug | |
| Malaysia | 50-16000-219R — 1.8 m, grounded, three wire, BS 1363 plug | 50-16000-670R — 1.8 m ungrounded, two wire, BS 1363 Plug |
| New Guinea | 50-16000-217R — 1.8 m, grounded, three wire, AS 3112 plug | |
| Russia | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |
| Singapore | 50-16000-219R — 1.8 m, grounded, three wire, BS 1363 plug | 50-16000-670R — 1.8 m ungrounded, two wire, BS 1363 Plug |
| United Kingdom | 50-16000-219R — 1.8 m, grounded, three wire, BS 1363 plug | 50-16000-670R — 1.8 m ungrounded, two wire, BS 1363 Plug |
| United States | 50-16000-221R — 1.8 m, grounded, USA NEMA 5-15P 50-16000-678R — 36 inch grounded, three wire | |
| Vietnam | 50-16000-220R — 1.8 m, grounded, three wire CEE 7/7plug | |

| MISCELLANEOUS | |
|---------------|---|
| | Vehicle Holder Mount — VCD5501-1000R Accommodates the standard and extended battery. |
| | Hard Case — SG-MC5511110-01R Rigid holster with large swivel clip for rugged applications. |
| | Soft Case — SG-MC5521110-01R Holster with plastic belt clip |
| \ / | Spare Stylus, 3 pack — KT-119150-03R |
| \ | Spare Stylus, 50 pack — KT-119150-50R |
| \\/ | Spring Loaded Stylus, 10 pack — Stylus-00001-10R Optional spare spring loaded stylus, 10 pack |

| MISCELLANEOUS (CONTINUED | |
|--|---|
| | Stylus with tether, 3 pack — Stylus-00003-03R Spare stylus with tether, 3 pack |
| S | Stylus with tether, 50 pack — Stylus-00003-50R Spare stylus with tether, 50 pack |
| | Spare tether, 3 pack — KT-122621-03R |
| | Spare tether, 50 pack — KT-122621-50R |
| 7 | Magnetic Stripe Reader — MSR5500-100R Reads all 3 tracks of a magnetic stripe card and accommodates power and communication pass through while cradled in a single slot or four slot cradle as well as when a charging cable is attached. |
| | MC55X0/MC65/MC67 Snap-on Trigger Handle — TRG5500-101R For use with Windows OS only. |
| Gran Contraction of the Contract | Hand Strap for the TRG5500-100R Snap-on Trigger Handle — 21-138874-01R |
| | Spare Screen Protectors, 3 pack — KT-137521-03R |
| | MC55/65/67 Standard Hand Strap with Pin — SG-MC5523341-03R |
| HEALTHCARE SPECIFIC (AVAI | LABLE FOR MC55A0-HC ONLY) |
| | Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-H White |
| | 10 pack, Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-10H White |
| | 50 Pack, Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-50H White |
| Image not available | Spare Stylus, 3 pack. — KT-152738-03R Blue |
| Image not available | Spare Stylus, 50 pack. — KT-152738-50R Blue |
| lmage not available | Spare Stylus with Tether, 3 pack. — Stylus-HC005-03R Blue |

| HEALTHCARE SPECIFIC (AVAILABLE FOR MC55A0-HC ONLY) | |
|--|---|
| lmage not available | Spare Stylus with Tether, 50 pack. — Stylus-HC005-50R Blue |
| | MC55X0/MC65/MC67 Disinfectant Ready Hand Strap — SG-MC5523341-01R |

| DISCONTINUED ACCESSORIES | |
|--------------------------|---|
| KKKK | Four Slot Charge Only Cradle — CRD5500-4000CR Charges four terminals at one time. Requires Power Supply PWRS-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord. |
| | Single Slot Cradle — CRD5500-1000XR Single Slot cradle with a bay for spare battery charging. Supports Ethernet, USB and Modem connectivity. Requires Power Supply PWRS-14000-148R and country specific three wire grounded AC power line cord. |
| O. Cot | Four Slot Charge Only Cradle Kit — CRD5500-400CES Includes Four Slot Charge Only cradle (CRD5500-4000CR), Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R). |
| | Four Slot Charge Only Cradle Kit — CRD5500-401CES Includes Four Slot Charge Only cradle (CRD5500-4000CR) and Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately. |
| \1/ | Spring loaded stylus, 3 pack — Stylus-00001-03R Optional spare spring loaded stylus, 3 pack |

Part number BRO-ACC-MC556567. Printed in USA 08/14. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2014 Motorola Solutions, Inc. All rights reserved.

