



ScanPal EDA51 Computer - Configuration Guide



EDA51 – N6603 2D Imager – WWAN

EDA51-1-B623SOGxK

Android 8 with GMS, WWAN, 802.11 a/b/g/n/ac, N6603 engine, 1.8 GHz 8 core, 2GB/16GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, Grey

EDA51 – N3601 2D Imager – WWAN

EDA51-1-B723SOGxK

Android 8 with GMS, WWAN, 802.11 a/b/g/n/ac, N3601 engine, 1.8 GHz 8 core, 2GB/16GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, Grey

EDA51 – N6603 2D Imager – WiFi Only

EDA51-0-B623SOGxK

Android 8 with GMS, WLAN, 802.11 a/b/g/n/ac, N6603 engine, 1.8 GHz 8 core, 2GB/16GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, Grey

EDA51 – N3601 2D Imager – WiFi Only

EDA51-0-B723SOGxK

Android 8 with GMS, WLAN, 802.11 a/b/g/n/ac, N3601 engine, 1.8 GHz 8 core, 2GB/16GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, Grey


(Note: x = Domain, select appropriate Domain from Configuration Map on page 3)

Honeywell Repair Services

SVCEDA51-5LC3

EDA51, PLUS, 5 Day Turnaround, 3 Year, Day One

ScanPal EDA51 Computer - Configuration Guide



EDA51 Healthcare White – N3601 2D Imager – WiFi Only

EDA51-0-B742SOGxK

Android 8 with GMS, WLAN, 802.11 a/b/g/n/ac, N3601 engine, 1.8 GHz 8 core, 2GB/32GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, Healthcare White

Healthcare Home Base

EDA50-HB-HC

EDA50 Single Charging Dock, White
Compatible with EDA50 and EDA51

Requires

CBL-500-120-S00-03
50136024-001

Charging and USB Comms cable for ScanPal EDA51
Kit includes 5V/2A power adaptor and power plugs for US, EU, UK, ANZ, and India, included with each terminal.



(Note: x = Domain, select appropriate Domain from Configuration Map on page 3)

Honeywell Repair Services

SVCEDA51-5LC3

EDA51, PLUS, 5 Day Turnaround, 3 Year, Day One

ScanPal EDA51 Configuration Map

Radio	Camera	Scan Engine	Memory	Color	Battery	Operating System	GMS	Domain	Kitting	Description	Notes
EDA51-											
0										802.11 a/b/g/n/ac + Bluetooth 4.1	WLAN: IEEE 802.11 a/b/g/n/ac Bluetooth Class 4.1
1										LTE (4G) GPS, UMTS/HSPA+ (3G) GSM/GPRS/EDGE	
	B									13MP Camera	
	N									No Camera	
		6								1D/2D Imager (N6603)	
		7								1D/2D Imager (N3601)	
			2							2GB RAM/16GB Flash Memory	
			3							3GB RAM/32GB Flash Memory	
			4							2GB RAM/32GB Flash Memory	
				2						Healthcare White	
				3						Grey Color	
					S					Standard Battery	
						O				Android Oreo 8	
							G			GMS	
								N		Non-GMS	
									A	Australia New Zealand, Korea, Brazil, Mexico, LATAM	
									C	China	
									E	Egypt, Bahrain, Malaysia, Tunisia	
									I	Indonesia	
									O	EU	
									R	Rest Of World	
									U	North America	
									I	Kit - Indonesia	Includes Power Adapter and USB Cable
									K	Kit - Suzhou	Includes Power Adapter and USB Cable
									N	Kit - Mexico	Includes Power Adapter and USB Cable
									R	Kit - Russia	Includes Power Adapter and USB Cable
									Z	Kit - Brazil	Includes Power Adapter and USB Cable

Honeywell Repair Services

EDA51 – Repair Services

For Best-In-Class Service

With Honeywell Repair Services, it's easy to get the level of repair coverage and protection that makes the most sense for your business. And our repair services are now available in over 70 countries with global pricing and global standards of quality.

Choose from one of our new cost-effective Repair Service contract programs – Plus or Basic – to get the right amount of coverage and protection you need for your durable, rugged and ultra-rugged products. And for equipment not covered by a contract service plan, you can choose from our Non-Contract Repair Service offerings, which include flat-rate repairs, time-and-materials repairs and more.


Ensure business continuity, workflow performance and protection of your technology investments with Honeywell Repair Services.

Plus Repair Services

Protect your technology investment! With Honeywell's 3 and 5 year Plus comprehensive repair services plan, you won't incur any additional costs beyond the plan enrollment for service on covered devices and eligible accessories included with equipment sent to the depot for service. Eligible accessories include damaged styluses, battery-door covers, screen protectors, hand straps and clips.

Service Overview

- Features and benefits include:
 - Comprehensive coverage – including device replacement for rugged or stationary products
 - Day One multi-year pricing for lower annualized costs
 - Three years of locked-in service-price protection, with optional renewals
 - Options for 2-day and 5-day service levels
 - Cleaning and preventive maintenance
 - Telephone-based technical support
 - Convenient online Return Authorization requests and access to online service-history reports



Part#	Description
SVCEDA51-5LC2	EDA51, PLUS, 5 Day Turnaround, 2 Year Day One
SVCEDA51-5LC3	EDA51, PLUS, 5 Day Turnaround, 3 Year Day One
SVCEDA51-5LC5	EDA51, PLUS, 5 Day Turnaround, 5 Year, Day One
SVCEDA51-2LC2	EDA51, PLUS, 2 Day Turnaround, 2 Year, Day One

Honeywell Repair Services

EDA51 – Repair Services

For Best-In-Class Service

EDA51



Warranty Cover Against Product Defect

BASIC Service

Comprehensive Coverage:

- Accidental Damage
- Device Replacement
- Wear & Tear

Includes Replacement of:

- Hand Strap



PLUS Service


Advanced Exchange Service: Your Equipment "On Demand"

For overnight replacement of your Honeywell device, upgrade to our Advanced Exchange Service.

- Customer-owned, Honeywell-managed inventory ready for overnight shipment when you need it.
- Ship the damaged device to us; we'll repair it and add it to your Honeywell managed inventory to replace the device we shipped.

Part#	Description
SVCEDA51-AELC3	EDA51, PLUS, Advanced Exchange, 3 Year, Day One

Part#	Description
SVCEDA51-EXW3	EDA51, BASIC, 10-15 Day Turnaround, 3 Years (1 Year Factory Warranty + 2 Year Extended)
SVCEDA51-5LC3	EDA51, PLUS, 5 Day Turnaround, 3 Year, Day One



Our Advanced Exchange Service ensures overnight device replacement.


ScanPal EDA51 Software

EDA51 – Device Client Pack

Device Client Pack (DCP) includes first year maintenance. Add additional years of software maintenance for the applications below.




Launcher



Launcher - gives the customer total control over which apps can be run on the device.



Enterprise Browser



Enterprise Browser provides corporations the ability to run standard web applications from a controlled environment.

Part#	Description
DCP-001	Device Client Pack License (Launcher & Enterprise Browser)
DCP-SFT1	Device Client Pack - 1 Year Maintenance (Launcher & Enterprise Browser)
DCP-SFT3	Device Client Pack - 3 Year Maintenance (Launcher & Enterprise Browser)

ScanPal EDA51

Option 1 – Scan Handle

Use for Scan intensive applications



EDA51 with Scan Handle Installed on Home Base

Part Number	Description
1 EDA51-SH-R	Kit, Scan Handle,EDA51,ROW. (Field-attachable scan handle). Compatible with EDA50-HB-R / EDA51-HB-O / EDA50-CB-O Compatible with EDA51's hand strap 50141384-001.

ScanPal EDA51 Communications

USB Cable

Connect via USB to PC for communications and trickle charging.



Part Number	Description
1 CBL-500-120-S00-03	Cable, USB-A – micro USB

ScanPal EDA51 Desktop Charging

Option 1 – Fixed (Charge Only)

USB Charging



Part Number	Description
1 EDA50-HB-R	EDA50 Single Charging Dock
2 CBL-500-120-S00-03	Charging and USB Comms cable for ScanPal EDA51 USB type A to Micro USB, 1.2 m (3.9 ft), included with each terminal.
3 50136024-001	Kit includes 5V/2A power adaptor and power plugs for US, EU, UK, ANZ, and India, included with each terminal.

Option 2 – Fixed (Charge Only)

EDA51 Terminal Charger & Single Battery Charger (No Communication ports)



Part Number	Description
1 EDA51-HB-0	KIT, Home Base, EDA51, Includes Power Supply, must order Power Cord separately
2 50129589-001	EDA50/EDA51/EDA70 Battery (3.8V, 4,000mAh)
3 **	AC Power Cord – See Page 13 for Country Specific Power Cords

ScanPal EDA51 Charging

Option 1 – EDA51 Quad Charger


Chargebase – Quad Dock Charge Only



Part Number	Description
1 EDA50-CB-0	Chargebase - Kit includes Dock and Power Supply
2 **	AC Power Cord – See Page 13 for Country Specific Power Cords

Option 2 – EDA51 Battery Charger

Charge up to 4 batteries simultaneously



Part Number	Description
1 EDA50-QBC-0	Quad Battery Charger for EDA50/EDA51/EDA70. Includes Power Supply
2 **	AC Power Cord – See Page 13 for Country Specific Power Cords
3 50129589-001	EDA50/EDA51/EDA70 Battery (3.8V, 4,000mAh)

ScanPal EDA51 Accessories

Handstrap



Part Number	Description
50141384-001	ASSY,HAND STRAP,EDA51

Audio Cable

Support microphone input from headset and audio output.



Part Number	Description
50141383-001	ASSY, AUDIO JACK ADAPTOR, BLACK

ScanPal EDA51 Accessories

Rubber Boot

For added protection of the EDA51



Part Number


Description

50141376-001

TPU , RUBBER BOOT EDA51
Compatible with Handstrap
Not compatible with Terminal Chargers or Scan Handle.

Miscellaneous

Honeywell Recommended – ATP Industrial Grade Micro SD Cards



Part Number	Description
1 856-065-004	MICRO-SD CARD, <u>1GB</u> , AF1GUDI, ROHS
OR 856-065-005	MICRO-SD CARD, <u>2GB</u> , AF2GUDI, ROHS
OR 856-065-006	MICRO-SD CARD, <u>4GB</u> , AF4GUDI, ROHS
OR 856-065-007	MICRO-SD CARD, <u>8GB</u> , AF8GUDI, RoHS

Why ATP Industrial Grade SD?

ATP's SIP (System-In-Packaging) manufacturing process encapsulates all exposed components and points of failure to ensure the products are fully waterproof, shockproof, and ESD (Electro-Static Discharge) proof. ATP Industrial Grade SD/SDHC Cards can withstand at least an operating/storage temperature range of at least -40 to 85 degrees Celsius. In addition to this temperature range, the cards are completely waterproof, dustproof, and ESD (Electro-Static Discharge) proof. All ATP Industrial Grade SD/SDHC cards are produced under a stringent RoHS and Green Package compliant manufacturing process to guarantee a consistent high level of build quality and performance. ATP Industrial SD cards deliver outstanding performance with read speed (seq) up to 18MB/sec and write speed (seq) up to 16MB/sec. All ATP Industrial Grade CF, SD, USB drives, and SSDs are constructed using best-in-class SLC(Single-Level Cell) components with enhanced Error Correction Code(ECC) functions and wear levelling algorithms. This results in MTBF ratings over 2 million hours and the highest write cycle lifetimes in the industry.

AC Cords

Part Number	Description
50117503-001	Power cord, Argentina, Isled CB
50117501-001	Power cord, Australia, 2.5 m (8.2 ft), Isled CB
50117502-001	Power cord, Brazil, 2.5 m (8.2 ft), D60S-HB
19-19807	Cable, China cord set (CCC), 2.5 m (8.2 ft)
9000091CABLE	AC Power Cord, Denmark
77900508E	Power cord, Europe, IEC320-C13, 2.5 m (8.2 ft)
50127245-001	Power cord, 1.5 m (4.9 ft), India
9000092CABLE	AC Power Cord, Italy
321-500-002	AC Power Cord, Japan
9000093CABLE	AC Power Cord, Switzerland
77900507E	Power cord, UK, IEC320-C13, 2.5 m (8.2 ft)
77900506E	Power cord, US, IEC320-C13, 1.85 m (6.07 ft)

Disclaimer

Honeywell International Inc. (“HII”) reserves the right to make changes in specification and other information contained in this document without prior notice, and the reader should in all cases consult HII to determine whether any such changes have been made. The information in this publication does not represent a commitment on the part of HII.

HII shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced, or translated into another language with-out prior written consent of HII.

Web Address: www.honeywellaidc.com

The Bluetooth trademarks are owned by Bluetooth SIG, Inc., U.S.A and licensed to Honeywell.

Dolphin and Mobility Edge are trademarks or registered trademarks of Honeywell International Inc. in the United States and/or other countries.

Android is a trademark or registered trademark of Google Inc. in the United States and/or other countries.

Qualcomm and Snapdragon are trademarks or registered trademarks of Qualcomm Incorporated in the United States and/or other countries.

Other product names mentioned in the manual may be trademarks of registered trademarks of their respective companies and are the property of their respective owners.

All rights reserved.